



SERVICE JACKS

- A built-in by-pass device protects hydraulic system from over pumping damage, U.S. Patent No.5,946,912
- Metered release system allows for precise load control
- Largest saddle in category
- Extra wide wheels and solid stance designed for stability under load stress

FAST & SAFE!
Convenient foot pedal
designed for fast, no load lifts
U.S. Patent No. 5,431,369



21025
2-1/2 Ton Capacity



21030
3 Ton Capacity

Model	Capacity	Minimum Height	Maximum Height	Handle Length	Saddle Diameter	Jack Size Length	Jack Size Width	Jack Size Height	G.W.
21025	2-1/2 Ton	5"	19-1/2"	42-1/8"	5"	25-3/8"	13-1/8"	6-1/2"	73 Lbs.
21030	3 Ton	5-1/4"	19"			27-1/2"	13-3/8"	6-3/8"	87 Lbs.

LONG CHASSIS SERVICE JACKS

- Handle actuated release valve provides metered control at any desired lowering speed
- Wide stance and low center of gravity provides optimum stability under load stress
- Heavy gauge, steel frame helps prevent distortion and twisting
- A built-in by-pass device protects hydraulic system from over pumping damage, U.S. Patent No.5,946,912

FAST & SAFE!
Convenient foot pedal
designed for fast ,
no load lifts.



22050C
5 Ton Capacity



22100C
10 Ton Capacity

Model	Capacity	Minimum Height	Maximum Height	Handle Length	Saddle Diameter	Jack Size Length	Jack Size Width	Jack Size Height	G.W.
22040C	4 Ton	5"	24"	42-5/8"	5-1/2"	50-5/8"	15-3/8"	7-1/2"	156 Lbs.
22050C	5 Ton	7"	27"		6-1/2"	57-3/4"	17"	7-5/8"	233 Lbs.
22100C	10 Ton				7-3/8"	54-3/4"	20"	12-3/4"	427 Lbs.